



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration
10903 New Hampshire Avenue
Document Control Room -W066-G609
Silver Spring, MD 20993-0002

Mr. Chao-Shent Chao
Manager
Kuo Tai Hospital Managements & Consultant Company, Limited
2F-1, No. 27, Tayou Road
Songsan District
Taipei China (Taiwan) 10585

AUG 20 2010

Re: K093043
Trade/Device Name: Zirconia Syringe Needle
Regulation Number: 21 CFR 880.5570
Regulation Name: Hypodermic Single Lumen Needle
Regulatory Class: II
Product Code: FMI
Dated: August 2, 2010
Received: August 9, 2010

Dear Mr. Chao:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.


Page 2- Mr. Chao

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please go to <http://www.fda.gov/AboutFDA/CentersOffices/CDRH/CDRHOffices/ucm115809.htm> for the Center for Devices and Radiological Health's (CDRH's) Office of Compliance. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address <http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>.

Sincerely yours,



Anthony D. Watson, B.S., M.S., M.B.A.

Director

Division of Anesthesiology, General Hospital,

Infection Control and Dental Devices

Office of Device Evaluation

Center for Devices and

Radiological Health

Enclosure

Indications for Use

510(k) Number (if known): K 093043

Device Name: Zirconia syringe needle

Indications For Use:

The Zirconia syringe needle is a sterile medical device for single use, intended to inject fluids into, or withdraw fluids from, parts of the body below the surface of the skin.


Prescription Use X
(Part 21 CFR 801 Subpart D)

AND/OR

Over-The-Counter Use _____
(21 CFR 801 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF
NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)


(Division Sign-Off) Page 1 of _____
Division of Anesthesiology, General Hospital
Infection Control, Dental Devices

510(k) Number: K093043

[Quick Links: Skip to main page content](#) [Skip to Search](#) [Skip to Topics Menu](#) [Skip to Section Content Menu](#) [Skip to Common Links](#)

510(k) Premarket Notification



[510 \(k\)](#) | [Registration & Listing](#) | [Adverse Events](#) | [Recalls](#) | [PMA](#) | [Classification](#) | [Standards](#)
[CFR Title 21](#) | [Radiation-Emitting Products](#) | [X-Ray Assembler](#) | [Medsun Reports](#) | [CLIA](#)

[New Search](#)

[Back To Search Results](#)

Device Classification Name	Needle, Hypodermic, Single Lumen
510(K) Number	K093043
Device Name	ZIRCONIA SYRINGE NEEDLE
Applicant	KUO TAI HOSPITAL MANAGEMENTS & CONSULTANT CO., LTD 2f-1, No.27, Tayou Rd., Songsshan District Taipei,
Contact	Chao-Shent Chao
Regulation Number	880.5570
Classification Product Code	FMI
Date Received	09/30/2009
Decision Date	08/20/2010
Decision	Substantially Equivalent (SE)
Classification Advisory Committee	General Hospital
Review Advisory Committee	General Hospital
Statement/Summary/Purged Status	Statement Only
Statement Type	Statement Traditional
Reviewed By Third Party	No
Expedited Review	No